



PATTERNCOS



This material is protected by
copyright. All rights reserved. Please
contact the publisher for permission
to copy, distribute or reprint.



PAULETTE SKIRT

PDF Sewing pattern

Paulette skirt pattern - This cute mini skirt sewing pattern is perfect for beginners. The body of the skirt keeps the back tailoring and opens up slightly at the front for a slight vent. The bottom line is embellished with a pretty circular ruffle that will give your skirt movement as you walk. A very flirty design to combine with your summer blouses.



SIZE CHART

	36	38	40	42	44	46	48	50	52
Measurements									
Bust contour - Cm	84	88	92	96	100	104	108	112	116
Bust contour - Inches	33,07	34,64	36,22	37,79	39,37	40,94	42,51	44,09	45,66
Waist Contour - Cm	61	65,5	70	74,5	79	83,5	88	92,5	97
Waist Contour - Inches	24,01	25,78	27,55	29,33	31,10	32,87	34,64	36,41	38,18
Hips contour - Cm	88	92	96	100	104	108	112	116	120
Hips contour - Inches	34,64	36,22	37,79	39,37	40,94	42,51	44,09	45,66	47,24
Front - High point shoulder to waist - Cm	42	43	44	45	46	47	48	49	50
Front - High point shoulder to waist - Inches	16,53	16,92	17,32	17,71	18,11	18,50	18,89	19,29	19,68
Back - High point shoulder to waist - Cm	41	41,5	42	42,5	43	43,5	44	44,5	45
Back - High point shoulder to waist - Inches	16,14	16,33	16,53	16,73	16,92	17,12	17,32	17,51	17,71



PATTERNCOS



PAULETTE SKIRT | Fabric Ideas

- Cotton, viscose or linen plain weave
- Crepe
- Satin
- Cotton vichy
- Cotton sateen
- Thin gabardine twill
- Thin denim twill
- Brocade
- Tweed
- Suit fabric
- ...

Quantity in a 140 cm wide fabric

- Main fabric: 1,10 meters

Other materials

- Pins
- Basting thread
- Fusible interfacing - Details
- Invisible zipper: 30-35 cm

Seam allowance

- This pattern includes seam allowance. Consult the seam allowance in the pattern pieces.

WRITTEN INSTRUCTIONS



IS IT YOUR FIRST TIME BUYING OUR PATTERNS?

1. Download the pattern in your Etsy profile.

2. Choose your paper size.

Etsy has limited downloads so it's possible that you can't download all the paper sizes available in our patterns (A₄, A₃, Letter and A₀ for plotter). Ask us for them.

3. Print the pattern. Is really important print them in real size, 100% scale.

How do I know the print is correct?


CHECK THE 10X10 CM RECTANGLE LISTED ON ONE OF THE FIRST PAGES OF THE PATTERN PDF

****Try to print two pages in the beginning.*

4. Put the pages together following the information in the next page.

5. Let's sew.





 This template is just one example. The number of sheets may vary depending on the pattern.

A,1	A,2	A,3	A,4	A,5
B,1	B,2	B,3	B,4	B,5
C,1	C,2	C,3	C,4	C,5




Once printed you should see a rectangular margin on your sheets.






- Join the sheets following the margins as well as the numbering indicated on the previous page.






GENERAL ASPECTS

- If a pattern is marked FOLD LINE it means that you must cut the unfolded piece mirrored.





- If a symmetrical pattern is marked in its information to be cut twice, the pieces must be cut mirrored.





- The pattern pieces will be marked on the reverse side of the fabric.

- To place the pieces on the fabric, place the arrow of the grain line parallel to the selvages of the fabric, unless otherwise indicated in the pattern information.





 The pattern includes SEAM ALLOWANCES. You can check the seam allowance in each pattern piece contour.





 Sew the darts on the back pieces.

Then use the overlock or zig-zag on the centre back.

 Sew the front and back together at the sides.

Place the pieces right sides together and align the sides. Stitch to seam allowance and then overlock. Press towards the back.


The centre back is still open.





 Sew the front and back ruffles at the sides. The circle on the front is slightly bigger than the circle on the back - don't get it wrong!

To sew the pieces together you can use the same type of stitching as before, but optionally you can also use a French seam.





— Sew an invisible zip in the centre back. If you have any doubts about sewing zips, please consult our attached tutorial.

[ADDITIONAL TUTORIAL. CLICK HERE](#)

Once the zip is in place, press the seam open.

— If the zip is too long, leave a margin of about 3-4 cm and cut off the excess. You can clean up the bottom of the zip using a small piece of fabric and cover it as if it were a bias tape.

[ADDITIONAL TUTORIAL. CLICK HERE](#)

It is not a necessary step but it looks nicer than just leaving the zip raw.





At this point you have the skirt sewn on one side and the ruffle piece on the other side. You must sew the two pieces together along the bottom line of the skirt.

Remember that the ruffle piece is made up of two circles joined by the stitching. One circle corresponds to the front and the other circle to the back. You must match the entire hemline between the skirt and the ruffles.


Start by placing the side seams and then pin the rest of the contour. The pieces should be placed right sides together. Stitch to seam allowance, use the overlock and press the seam allowance upwards.

*** See the photo help on the previous page.




- Finally, the concealed rectangular waistband has to be prepared.
1. Interface the piece.
 2. Press the piece in half.
 3. Use the overlock on the open contours.

In this tutorial you can see in detail how to sew this type of waistband on the waistline of a skirt.
[ADDITIONAL TUTORIAL. CLICK HERE](#)





 To finish the bottom of the ruffle in a simple way, you can overlock or zig-zag first and then make a simple 1 cm hem.



**IF YOU NEED
SOMETHING ELSE**

Contact us Via Etsy



PATTERNCOS PATTERNS